

### **AWA MOBILE UNITS ARE AVAILABLE IN 3 PLATFORMS**

#### **AWA MOBILE UNITS**



### SDE PLATFORM Standard design with engineering



CD PLATFORM Custom design



**The SD platform** is ideal for turnkey projects under 100hp. All pre-established standard combinations are included, engineering is fully included, and production time is accelerated.


**The SDE platform** is also a platform for turnkey projects of less than 100hp with possibilities of additional configuration. Inspired by the standard platform, the engineering team offers interesting options at an advantageous cost while maintaining a very satisfactory production time.

**The CD platforme** is particularly interesting for projects over 100hp requiring many customizations from the customer. Our entire team has the expertise to create a personalized layout of your equipment according to your production requirements. The configurations are endless!

EQUIPMENT	SD PLATFORM  Pre-defined equipment list standard less than 100 hp	SDE PLATFORM  Large choice of configuration and equipment possible				
	SD AND SDE PLATFORM		AVAILABLE OPTIONS ON THESE PLATFORM			
COMPONENTS		EXTERIOR				
Roof	Cambered roof with integrated gutters		-			
Doors	Lockable door. Operational doors from the interior or the exterior.		Additional door	SD   SDE		
Ventilation Panels	Automated louvers made of insulated aluminum.		Goose neck entry	SD   SDE		
Floor	Liquid resistant floor, steel floor provides contamination.	-				
Paint Color	Charcoal Standard.	Choice of colors RAL chart	SD   SDE			
Wall Paint system	To define 2 - Standard component ureth	System for all types of environments. SDE				
Outdoor lighting		_		SDE		
Custom sticker			SD   SDE			
	INTERIOR					
Ventilation	Thermostatically Controlled Ventilation.					
Piping	Aluminium Piping system.	Choice of piping	SDE			
Indoor heating	Convection auxiliary electric heating, int Recovery from the compressor.	-				
Electrical panel and Electricity	CSA and UL Listed	-				
Certification	CSA and UL Listed		SD   SDE			
Filters	Filtration on the air inlet, removable and	-				
Indoor lighting	Indoor lighting LED	-				
Insulation	Insulation panel and urethane 1" therma	-				
Outlet 120 V		_		SDE		
	ADDITIONAL EQUIPMENT AVAILABLE					
Tropical package			SD   SDE			
Unit mobility	4 lifting eyes for crane lifting. Forklift tra	_				
Operation indicator lights and security			SDE			
Extinguisher, ANSUL system			SD   SDE			
Shrink Wrap for expedition			SD   SDE			
Test FAB (Factory Attestation Testing)			SDE			

# WHY CHOOSE AN AWA?

- Free up valuable manufacturing space for more production equipment.
- Only one electrical, one discharge air and one condensate line required.
- The rugged enclosure protects your equipment from the worst weather conditions.
- Tested in environment from 40°F to + 120°F.
- Decrease the interior noise levels; the insulation of walls and doors considerably reduces noise levels around exterior of package.
- Electric compressor vs Diesel compressor is approximately 8 times more energy efficient.
- Maximizes the efficiency of your electric air compressor outside.
- The addition of a mobile container is not considered a building extension Possibility of avoiding an increase in municipal taxes.
- Flexible solution; temporary or permanent solution. Check with your tax advisor.
- Designed to be easily transported and moved.
- Automated controls provide the proper internal container temperatures all year round.



## EACH PROJECT IS UNIQUE, THAT'S WHY OUR **AWA** ARE FULLY CUSTOMIZABLE, PERFECT FOR LARGE SCALE PROJECTS!

The CD platform offers you a wide range of possibilities, specially designed for equipment over 100hp, this platform offers the flexibility you are looking for!

Whether for specialized applications, non-standard options, or special sizes, our engineering team is there to support you throughout the project. Our production center has accomplished more than 700 projects in the last 10 years and can offer the right solution for your needs as well as meet your expectations.

Please request our brochure on the CD platform, there's a world of possibilities waiting for you!



#### **DIMENSIONS TABLE**

Sizes, weights and specifications of standard models.

MODEL	WEIGHT (LBS)*	LENGTH	WIDTH	HEIGHT
SD-4	1929	58"	101"	116"
SD-8	2639	102"	101"	116"
SD-12	3277	146"	101"	116"
SD-16	4101	190"	101"	116"

<sup>\*</sup> Without equipment inside.



AWA-SD4 AWA-SD12 AWA-SD16

# ARE YOU THINKING ABOUT EXPANDING YOUR CURRENT BUILDING...

AN AWA COULD BE A MUCH MORE ECONONOMICAL OPTION

By expanding your facilities, have you thought about...

### Time required for:

- the steps to be taken in the local town planning office?
- building permit to be approved?
- the new certificate of location?
- the selection of the contractor?
- check the progress of the work?
- manage the unanticipated?

#### Fees:

- related to construction?
- the unexpected? (Project Delays)
- extra cost due to over-runs?
- municipal taxes that will increase as your area increases?
- expensive architects's fees?
- from an accounting point of view, the extra floor space not used for production also reduces the square foot efficiency of your plant?

Eliminate the headache of planning and managing a plant expansion. The selection of an AWA mobile unit saves you time, money & manufacturing floor space. It couldn't be simpler!

allweather-air.com 833-AWA-0200 (833-292-0200)









